ELSEVIER

Journal of Magnetism and Magnetic Materials 282 (2004) xv–xvii

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

International Symposium on Advanced Magnetic Technologies (ISAMT'03)
Taipei, Taiwan, 13–16 November 2003

1. Nanostructure magnetics

D. Farrell, Y. Cheng, Y. Ding, S. Yamamuro, C. Sanchez-Hanke, C.-C. Kao and S.A. Majetich
Dipolar interactions and structural coherence in iron nanoparticle arrays 1

K. Temst, M.J. Van Bael, J. Swerts, D. Buntinx, H. Loosvelt, E. Popova, C. Van Haesendonck, H. Fritzsche, M. Gierlings, L.H.A. Leunissen and R. Jonckheere
Magnetization reversal in patterned structures using off-specular polarized neutron scattering 6

Z.-H. Wei, M.-F. Lai, C.-R. Chang, N.A. Usov, J.C. Wu and J.-Y. Lai
Nonuniform micromagnetic states in thin circular dots 11

Y. Lee, J.H. Chen, M.S. Guo, G.M. Liu and C.S. Lue
Structure and magnetic properties of FePt nanograins embedded in amorphous carbon films 15

K. Harii, E. Saitoh, H. Miyajima and T. Yamaoka
Electric detection of helicity in a ferromagnetic mesoscopic ring 19

M. Tanaka, E. Saitoh, H. Miyajima and T. Yamaoka
Magnetization process and magnetic structure in a NiFe honeycomb nano-network 22

E. Saitoh, K. Harii, H. Miyajima and T. Yamaoka
Critical phenomena in magnetic vortex formation probed by noise spectroscopy 25

S.W. Lin, S.C. Chang, R.S. Liu, S.F. Hu and N.T. Jan
Fabrication and magnetic properties of nickel nanowires 28

2. Thin film and multilayers

F. Stobiecki, B. Szymański, T. Luciński, J. Dubowik, M. Urbaniak and K. Röll
Magnetoresistance of layered structures with alternating in-plane and perpendicular anisotropies 32

M. Kisielewski, A. Maziewski and V. Zablotskii
Description of giant changes of domain sizes in ultrathin magnetic films 39

N.H. Duc, D.T. Huong Giang and N. Chau
Nanostructure and magnetization reversal process in $TbFeCo/Y_x(FeCo)_{1-x}$ spring-magnet type multilayers 44

D.H. Wei, Y.J. Hsu, C.-C. Lin, C.-H. Lai, J.Y. Ou and J.C. Wu
Layer- and lateral-resolved magnetization studies using photoemission electron microscopy 49

S.-H. Mao and M.-C. Tsai
An analysis of the optimum operating point for a switched reluctance motor 53

C.S. Tsai, J.Y. Li, M.J. Chen, C.C. Yu, Y. Liou, D.S. Hung, Y.D. Yao and S.F. Lee
Microwave FMR studies on ultrathin Fe/GaAs layer structures 57

Y.-R. Ma, K.-W. Cheng, C.-H. Shee, C.-C. Tsai, C.-L. Cheng, H.-L. Liu, M.S. Wong, Y. Liou and Y.-D. Yao
Effect of field power on growth of multiwall carbon nanotubes 61

C.C. Yu, Y.C. Chu, F.L. Chang, D.H. Wei, S.C. Chou, Y. Liou, Y.D. Yao, W.C. Cheng and T.S. Chin
Structure and magnetic properties of Co/Pt single- and bi-crystal multilayers 65

H.Y. Ho, C.L. Tzeng, C.W. Su and C.S. Shern
Enhancement of magneto-optical Kerr effect for Co ultra-thin film on Pt(1 1 1) with Ag buffer layer 69

K.M. Wang, D.S. Lee, L. Horng and G. Chern
Structural and magnetic properties of $Fe_{3-x}Mn_xO_4$ films 73

J.S. Tsay, H.Y. Nieh, Y.D. Yao and T.S. Chin
Magnetic properties of ultrathin Co/Ag/Ge (1 1 1) films studied using surface magneto-optic Kerr effect technique 78

J.S. Tsay, Y.T. Chen, W.C. Cheng and Y.D. Yao
Magnetic properties of interfacial layers in Co/Ge(1 1 1) thin films 81

C.W. Su, Y.D. Yao and C.S. Shern
Magnetic properties of ultrathin Co/Ni/Pt(1 1 1) films 84

H.S. Hsu, C.M. Fu, J.E. Dia, Y.C. Chao, H.S. Hung and J.C.A. Huang
On the characterization of discontinuous $Co_{80}Fe_{20}/\alpha$-Fe_2O_3 multilayers by AC impedance technology 88

N.J. Tang, W. Zhong, H.Y. Jiang, X.L. Wu, W. Liu and Y.W. Du
Nanostructured magnetite (Fe_3O_4) thin films prepared by sol–gel method 92

C.-H. Lai, W.C. Chen and Y.D. Yao
Effects of orientation and temperature on magnetoresistance of Fe/Si multilayers 96

Q.-Y. Wen, H.-W. Zhang, X.-D. Jiang, X.-L. Tang, W.-L. Zhang and B.-S. Han
Enhancement of the magnetoresistance in rapid recurrent thermal annealed Co/Cu/Co/CoNbZr spin valve multilayers 100

doi:10.1016/S0304-8853(04)01007-8

Z.L. Zhao, J.S. Chen, J. Ding, K. Inaba and J.P. Wang
The effect of additive Ag layers on the $L1_0$ FePt phase transformation 105
S.F. Cheng, P. Lubitz, Y. Zheng and A.S. Edelstein
Effects of spacer layer on growth, stress and magnetic properties of sputtered permalloy film 109

3. Nanomagnetism

P. Sharma, A. Gupta, F.J. Owens, A. Inoue and K.V. Rao
Room temperature spintronic material—Mn-doped ZnO revisited 115
Y. Sasaki, M. Mizuno, A.C.C. Yu, M. Inoue, K. Yazawa, I. Ohta, M. Takahashi, B. Jeyadevan and K. Tohji
Crystallographic structures and magnetic properties of $L1_0$-type FePt nanoparticle monolayered films stabilized on functionalized surfaces 122
T.-W. Huang, Y.-H. Huang, T.-H. Tu and C.-H. Lee
X-ray diffraction and absorption spectroscopy studies of the structure of self-assembled FePt nanoparticles during annealing 127
I. Klik and Y.D. Yao
Magnetization reversal by a field pulse 131
M.-F. Lai, Z.-H. Wei, C. Chang, N.A. Usov, J.C. Wu and J.-Y. Lai
Nonuniform magnetization reversals in elliptical permalloy dots 135
Y.K. Wang, G.Y. Guo and H.-T. Jeng
An ab initio study of the magnetocrystalline anisotropy and magnetoelastic coupling of half-metallic CrO_2 139
K. Sekiguchi, M. Shimizu, E. Saitoh and H. Miyajima
Differential conductance anomaly in ferromagnetic Ni nanocontacts 143
S.-J. Lee, J.-R. Jeong, S.-C. Shin, J.-C. Kim and J.-D. Kim
Synthesis and characterization of superparamagnetic maghemite nanoparticles prepared by coprecipitation technique 147

4. Soft magnetic materials and applications

W. Zhong, N.J. Tang, X.L. Wu, W. Liu, W. Chen, H.Y. Jiang and Y.W. Du
Magnetocaloric effect above room temperature in the ordered double-perovskite $Ba_2Fe_{1+x}Mo_{1-x}O_6$ 151
C.Y. Lin, T.S. Chin, S.X. Zhou, Z.C. Lu, L. Wang, F.F. Chen, M.X. Pan and W.H. Wang
Magnetic properties and glass-forming ability of modified Fe–P–Si–B bulk amorphous alloys 156
S.W. Ahn, S.G. Min, H.J. Kang and S.K. Oh
Electron spin–spin relaxation in dilute magnetic semiconductor $Zn_{1-x}Mn_{2+x}As_2$ 163
G.Y. Ahn, S.-I. Park, I.-B. Shim and C.S. Kim
Mössbauer studies of ferromagnetism in Fe-doped ZnO magnetic semiconductor 166
S.T. Lim, M.S. Cho, I.B. Jang and H.J. Choi
Magnetorheological characterization of carbonyl iron based suspension stabilized by fumed silica 170

5. Hard magnets and applications

N. Chau, N.X. Chien, N.Q. Hoa, P.Q. Niem, N.H. Luong, N.D. Tho and V.V. Hiep
Investigation of nanocomposite materials with ultra-soft and high performance hard magnetic properties 174
M. Zhu, Y. Fang, Y. Guo, W. Li and B. Han
Study of magnetic microstructures of Nd–Fe–B casting strips by using magnetic force microscope 180
C.H. Chiu, H.W. Chang and W.C. Chang
Effect of Fe substitution by Ti or Nb/V/Zr on phase stability and magnetic properties of $Pr_2Fe_{23}(B, C)_3$ ribbons 186
L.-Y. Hsu and M.-C. Tsai
Tooth shape optimization of brushless permanent magnet motors for reducing torque ripples 193
S.K. Chen, F.T. Yuan, S.N. Hsiao, H.C. Chang, C.Y. Liou and W.C. Chang
Thickness dependence of longitudinal coercivity in Fe–Pt–Al thin films 198
S. Li, H. Bi, G. Xie, W. Zhong, F. Zhang, B. Gu, J. Zhang, M. Lu and Y. Du
Magnetic hardening effect of Fe_3B alloy by partial substitution of Fe by Nd 202
X.F. Han, H.L. Liu, E.J. Jin, M. Ishizone, M. Oogane and H. Kato
Crystallographic and magnetic properties of $Ho_3Fe_{29-x}T_x$ (T = V and Cr) 206
Y.C. Wang, J. Ding, J.B. Yi, B.H. Liu, T. Yu and Z.X. Shen
High coercivity Co-ferrite thin films on SiO_2 (100) substrate 211

6. MRAM and spintronics

F.M. Zhang, Y. Zeng, J. Gao, X.C. Liu, X.S. Wu and Y.W. Du
Ferromagnetism in Mn-doped silicon 216
H. Brückl, M. Brzeska, D. Brinkmann, J. Schotter, G. Reiss, W. Schepper, P.-B. Kamp and A. Becker
Magnetoresistive logic and biochip 219
X.F. Han, S.F. Zhao, F.F. Li, T. Daibou, H. Kubota, Y. Ando and T. Miyazaki
Switching properties and dynamic domain structures in double barrier magnetic tunnel junctions 225
T. Kim, Y. Keun Kim and W. Park
Technological issues for high-density MRAM development 232
J.-Y. Lin, W.J. Chang, J.Y. Juang, T.M. Wen, K.H. Wu, Y.S. Gou, J.M. Lee and J.M. Chen
Spectroscopic evidence of electron doping in $La_{0.7}Ce_{0.3}MnO_3$ 237
D. Kwon, H.K. Kim, J.H. Kim, Y.E. Ihm, D. Kim, H. Kim, J.S. Baek, C.S. Kim and W.K. Choo
Heat treatment effect on magnetic properties of polycrystalline $Si_{1-x}Mn_x$ semiconductors grown by MBE 240
H.K. Kim, D. Kwon, J.H. Kim, Y.E. Ihm, D. Kim, H. Kim, J.S. Baek, C.S. Kim and W.K. Choo
Magnetic phases in polycrystalline $Si_{1-x}Mn_x$ semiconductors grown by MBE 244

T. Luciński, P. Wandziuk, F. Stobiecki, B. Andrzejewski, M. Kopcewicz, A. Hütten, G. Reiss and W. Szuszkiewicz
Exchange interlayer coupling in Fe/Si_xFe_{100-x} and Co/Si multilayers 248

7. Magneto-optics

A. Bauer, G. Meyer, T. Crecelius, I. Mauch and G. Kaindl
Magnetic stripe domains in ultrathin films and their transformation in magnetic fields 252
A.A. Fedyanin, O.A. Aktsipetrov, D. Kobayashi, K. Nishimura, H. Uchida and M. Inoue
Enhanced Faraday and nonlinear magneto-optical Kerr effects in magnetophotonic crystals 256
M.A.I. Nahid and T. Suzuki
Magnetic and magneto-optical properties of $(Fe-Co)_3Pt$ alloy thin films 260

8. Magnetotransport

S. Urazhdin, W.P. Pratt and J. Bass
Studies of DC current-driven switching in $Ni_{84}Fe_{16}/N/Ni_{84}Fe_{16}$ magnetic nanopillars with N = Cu or Cu(Pt) 264
K. Inomata, S. Okamura and N. Tezuka
Tunnel magnetoresistance using full-Heusler alloys 269
C.-H. Chien, S.H. Chiou, G.Y. Guo and Y.-D. Yao
Electronic structure and magnetic moments of 3d transition metal-doped ZnO 275
Y.W. Huang, C.K. Lo, Y.D. Yao, L.C. Hsieh, J.J. Ju, D.R. Huang and J.H. Huang
Giant magnetocurrent in silicon-base magnetic tunneling transistor 279
C.M. Fu, Y.C. Chao, S.H. Hung, C.P. Lin and J. Tang
Impedance spectra of field-aligned CrO_2 needle-shape powders 283
X. Jiang and G.Y. Guo
First-principles studies of the electronic structure and magnetism in fayalites: M_2SiO_4 (M = Fe and Co) 287
H.M. Lee, I.-B. Shim and C.S. Kim
Direct measurement of grain boundary resistance in granular-type magnetoresistance thin films 291
J.H. Kim, G.Y. Ahn, S.I. Park and C.S. Kim
Effects of Cr doping on magnetic properties of ordered Sr_2FeMoO_6 295
T.L. Phan, M.H. Phan, N.V. Khiem, N.X. Phuc and S.C. Yu
Study of spin dynamics, cluster glass and spin glass behaviors in $La_{0.5}Sr_{0.5}Co_{1-x}Fe_xO_3$ ($x = 0, 0.1$) 299
A.N. Ulyanov, S.-C. Yu and D.-S. Yang
Mn-site-substituted lanthanum manganites: destruction of electron pathway and local structure effects on Curie temperature 303

9. New magnetic applications

Y.-H. Chang, H.-W. Lin and G. Chen
Compensation on Hall effect sensor of PWM switching control 307
W.-N. Huang and C.-C. Teng
A simple magnetic refrigerator evaluation model 311
Y. Shi, H. Zhang, X. Jiang, Q. Wen and B. Han
Design of output voltage waveform on magnetic encoder 317
S.-I. Park, G.Y. Ahn, I.-B. Shim and C.S. Kim
Fe-doping effects of ferromagnetic $Zn_{0.98-x}Fe_{0.02}Mg_xO$ semiconductor 321

10. Biomagnetism

W. Fan, J. Ding, W. Duan and Y.M. Zhu
The influence of magnetic fields exposure on neurite outgrowth in PC12 rat pheochromocytoma cells 325

11. Others

R. Röhlsberger, H. Thomas, K. Schlage and T. Klein
A deep look into exchange-coupled films: advances through nuclear resonant scattering of synchrotron radiation 329
C.S. Lue, W.J. Lai, C.L. Huang and Y.H. Lee
Spin glass behavior in the $CoSi_{1-x}Al_x$ alloys 334
Y.-K. Kuo, Y.-Y Chen, L.-M. Wang and H.-D. Yang
Hall coefficient studies in $R_5Ir_4Si_{10}$ (R = Dy–Lu) near the charge–density–wave transitions 338
Y.-R. Ma, Y. Liou and Y.-D. Yao
Pushing nanoparticles of $La_{0.7}Sr_{0.3}MnO_3$ 342
C.-T. Liu, S.-C. Lin and T.-S. Chiang
On the analytical flux distribution modeling of an axial-flux surface-mounted permanent magnet motor for control applications 346
C.C. Chang, Y.C. Chang, J.C. Wu, Z.H. Wei, M.F. Lai, C.R. Chang and J.H. Kuo
Size effects on switching field of ring-shaped permalloy elements 351
S.-J. Wang, C.-H. Fang and S.-K. Lin
A flux estimation method for a permanent-magnet synchronous motor 355
C.C. Hwang, C.M. Chang, S.P. Cheng, C.K. Chan, C.T. Pan and T.Y. Chang
Comparison of performances between IPM and SPM motors with rotor eccentricity 360
W.-N. Huang and C.-C. Teng
A simple reluctance-based efficiency control strategy taking equivalent magnetic inductance into account for the switched reluctance motor drives 364
M. Shimizu, E. Saitoh, H. Miyajima and H. Masuda
Scanning Hall probe microscopy with high resolution of magnetic field image 369
C.C. Hung, M.J. Kao, W.C. Lin, S. Chao, D. Tang and M.-J. Tsai
Low writing current magnetoresistive random access memory (MRAM) with side metal pillar write word line (PWWL) 373
S. Anisul Haque, M. Yamamoto, R. Nakatani and Y. Endo
Binary logic gates by ferromagnetic nanodots 380
Y.M. Cho, S.S. Yu, Y.E. Ihm, D. Kim, H. Kim, J.S. Baek, C.S. Kim and B.T. Lee
Annealing effect on magnetic and electronic properties of polycrystalline $Ge_{1-x}Mn_x$ semiconductors grown by MBE 385

Author index 389

Subject index 395